



# Countersunk Head Screw

slotted  
in acc. with DIN 963  
(ISO 2009)

**Bare brass (CuZn 37)**  
**Bare steel 4.8**  
**Galv. steel 4.8, blue passivated**  
**Galv. steel 4.8, yellow passivated**  
**Nickel-plated steel 4.8**  
**A2**   
**A4**

Nominal dia. d	M 2	M 2.5	M 3	M 3.5	M 4	M 5	M 6	M 8	M 10	M 12	M 16
dk mm	3.8	4.7	5.6	6.5	7.5	9.2	11.0	14.5	18.0	22.0	29.0
k mm	1.2	1.5	1.65	1.93	2.2	2.5	3.0	4.0	5.0	6.0	8.0
n mm	0.5	0.6	0.8	0.8	1.0	1.2	1.6	2.0	2.5	3.0	4.0
t mm	0.4	0.5	0.6	0.7	0.8	1.0	1.2	1.6	2.0	2.4	3.2



## Assortments

Countersunk head screws, DIN 963, galvanized steel, blue passivated, 1290 parts, Article:  
 0039 3 x 10/16/20/25  
 0039 4 x 10/16/20/25  
 0039 5 x 10/16/20/25  
 0039 6 x 16/20/30/40  
 deep-drawn part, Art. No. 0955 801 6  
**Art. No. 0964 039**

Countersunk head screws, DIN 963, stainless steel A2, 1450 parts, Article:  
 0286 4 x 8/10/16/20/25  
 0286 5 x 10/12/16/20/25/30  
 0286 6 x 10/16/20/25/30  
 deep-drawn part, Art. No. 0955 801 6  
**Art. No. 0964 286**

Threaded screws, DIN 84 and DIN 963 comb. with nuts DIN 934 and washers DIN 125, galvanized, blue passivated, 1200 parts, Article:  
 0039 4 x 10/5 x 16/6 x 20  
 0040 4 x 10/16/20  
 0040 5 x 10/16/20  
 0040 6 x 16/20/25  
 0317 4/5/6  
 0407 4/5/6  
 deep-drawn part, Art. No. 0955 801 8  
**Art. No. 0964 040 1**

Nom. dia. d	Length l in mm	Brass bare Art. No.	P. Qty.	Steel 4.8 bare Art. No.	P. Qty.	Galv. steel 4.8, blue pass. Art. No.	P. Qty.	Steel 4.8 galv., yellow pass. Art. No.	P. Qty.	Steel 4.8 nickel-plated Art. No.	P. Qty.	A2  Art. No.	P. Qty.	A4  Art. No.	P. Qty.
M 2	4			<b>0039 02 4</b>		<b>0039 2 4</b>	2000	<b>0039 72 4</b>							
	5			<b>0039 02 5</b>		<b>0039 2 5</b>		<b>0039 72 5</b>		<b>0039 102 5</b>					
	6			<b>0039 02 6</b>		<b>0039 2 6</b>	500	<b>0039 72 6</b>		<b>0039 102 6</b>					
	8			<b>0039 02 8</b>		<b>0039 2 8</b>		<b>0039 72 8</b>		<b>0039 102 8</b>					
	10			<b>0039 02 10</b>		<b>0039 2 10</b>		<b>0039 72 10</b>	2000	<b>0039 102 10</b>					
	12			<b>0039 02 12</b>	2000	<b>0039 2 12</b>	100	<b>0039 72 12</b>		<b>0039 102 12</b>	2000				
	14			<b>0039 02 14</b>		<b>0039 2 14</b>	2000			<b>0039 102 14</b>					
	16			<b>0039 02 16</b>		<b>0039 2 16</b>	500	<b>0039 72 16</b>		<b>0039 102 16</b>					
	18			<b>0039 02 18</b>		<b>0039 2 18</b>	2000								
	20			<b>0039 02 20</b>		<b>0039 2 20</b>	100	<b>0039 72 20</b>		<b>0039 102 20</b>					
M 2.5	25			<b>0039 02 25</b>		<b>0039 2 25</b>	200								
	30			<b>0039 02 30</b>		<b>0039 2 30</b>	2000								
	4			<b>0039 025 4</b>		<b>0039 25 4</b>	100	<b>0039 725 4</b>		<b>0039 125 04</b>					
	5	<b>0000 25 5</b>		<b>0039 025 5</b>		<b>0039 25 5</b>		<b>0039 725 5</b>		<b>0039 125 05</b>		<b>0286 25 5</b>	500		
	6	<b>0000 25 6</b>	2000	<b>0039 025 6</b>		<b>0039 25 6</b>	2000	<b>0039 725 6</b>		<b>0039 125 06</b>		<b>0286 25 6</b>	1000		
	8	<b>0000 25 8</b>		<b>0039 025 8</b>		<b>0039 25 8</b>		<b>0039 725 8</b>		<b>0039 125 08</b>		<b>0286 25 8</b>			
	10	<b>0000 25 10</b>	1000	<b>0039 025 10</b>		<b>0039 25 10</b>		<b>0039 725 10</b>		<b>0039 125 10</b>		<b>0286 25 10</b>	500		
	12	<b>0000 25 12</b>		<b>0039 025 12</b>		<b>0039 25 12</b>	500	<b>0039 725 12</b>		<b>0039 125 12</b>					
	14			<b>0039 025 14</b>		<b>0039 25 14</b>	2000								
	16	<b>0000 25 16</b>	2000	<b>0039 025 16</b>		<b>0039 25 16</b>	500	<b>0039 725 16</b>		<b>0039 125 16</b>					
18			<b>0039 025 18</b>		<b>0039 25 18</b>	2000									
20	<b>0000 25 20</b>		<b>0039 025 20</b>		<b>0039 25 20</b>	500	<b>0039 725 20</b>		<b>0039 125 20</b>						
25			<b>0039 025 25</b>		<b>0039 25 25</b>		<b>0039 725 25</b>		<b>0039 125 25</b>						
30			<b>0039 025 30</b>		<b>0039 25 30</b>	2000	<b>0039 725 30</b>		<b>0039 125 30</b>						