



Sheet-Metal Nuts

● Surface: galvanized, yellow passivated



Assortment

Content: 8 sizes
(marked with *)
= 800 pieces

Art. No. 0964 500 1

		For screw dia. in mm	LiDr	L in mm	W in mm	C in mm	S in mm	f in mm	Art. No.	P. Qty.
A		2.9	A	9.9	8.0	4.6	0.5	0.7 - 1.6	0500 131 74	100
B		2.9	A	13.0	11.0	5.8	0.5	0.5 - 1.5	0500 119 56	100
		3.5	A	13.0	11.0	5.8	0.5	0.5 - 1.5	0500 136 24	100
		3.5	A	16.5	11.0	7.0	0.5	0.7 - 1.8	0500 117 36*	50/100
		3.5	A	16.4	11.0	6.7	0.6	0.7 - 1.6	0500 121 9	100/500
		3.5	D	9.3	8.0	3.9	0.5	1.2 - 1.7	0500 136 58	100
		3.9	A	16.0	11.0	7.9	0.5	1.0 - 3.0	0500 113 47*	100/300
		3.9	A	16.5	11.0	7.9	0.5	0.5 - 1.7	0500 113 46	50/100/300
C		3.9	C	9.2	11.0	4.6	0.5	2.5 - 3.0	0500 137 04	100
D		4.2	A	12.7	11.0	5.8	0.5	1.2 - 2.0	0500 116 67	100
		4.2	A	12.5	11.0	6.0	0.5	2.0 - 2.7	0500 136 29	100
		4.2	A	16.5	11.0	7.9	0.5	0.5 - 1.7	0500 113 62*	100/500
		4.2	A	23.0	11.0	7.5	0.5	0.7 - 1.3	0500 124 38	100
		4.2	A	22.0	11.0	7.5	0.5	1.7 - 2.8	0500 132 51	100
E		4.2	D	15.5	11.0	7.9	0.5	3.0 - 4.0	0500 117 45	100/300
F		4.2	H	16.5	11.0	7.5	0.7	0.5 - 1.7	0500 053 6	100
		4.8	A	14.7	11.0	6.5	0.7	0.6 - 1.7	0500 131 33	100
		4.8	A	16.0	11.0	7.0	0.5	0.5 - 2.5	0500 139 56	100
		4.8	A	16.7	11.0	7.9	0.7	0.5 - 1.7	0500 133 84*	100
		4.8	A	16.5	11.0	7.9	0.5	0.5 - 1.7	0500 115 22	100/500
		4.8	A	15.5	14.5	6.8	0.7	0.6 - 1.7	0500 113 65	100
G		4.8	A	19.0	12.7	9.5	0.6	2.5 - 3.7	0500 136 05	50
H		4.8	A	19.7	16.0	7.3	0.7	0.6 - 1.7	0500 114 70*	50/100
		4.8	A	25.0	11.0	7.9	0.5	0.5 - 1.7	0500 132 19	50/100
		4.8	D	22.8	16.0	10.8	0.6	5.0 - 6.0	0500 135 76	100
		4.8	H	19.8	12.7	7.9	0.7	0.9 - 2.0	0500 053 7	100
		4.8	K	23.7	16.0	10.0	0.7	3.0 - 4.0	0500 138 06	50
		4.9	A	16.5	11.0	7.9	0.5	0.5 - 1.7	0500 113 21	100/500
I		5.5	A	20.8	13.0	8.8	0.8	1.2 - 2.0	0500 115 77*	100/500
K		5.5	A	25.5	14.5	8.3	0.8	0.6 - 1.5	0500 121 98	100
		5.5	D	16.2	14.5	8.0	0.7	3.0 - 4.0	0500 136 37	100
		5.5	H	26.2	15.1	11.1	0.8	0.9 - 2.6	0500 053 8	100
		6.3	A	16.8	16.0	7.8	0.8	0.7 - 1.7	0500 114 04	100
		6.3	A	24.8	16.0	10.5	0.8	0.7 - 1.5	0500 114 27	100/500
		6.3	W	24.8	14.5	10.8	0.8	0.7 - 1.6	0500 132 04	100
		6.3	F	30.0	14.0	11.0	0.8	0.5 - 1.2	0500 520 99	100
		6.3	K	23.7	16.0	10.0	0.7	3.0 - 4.0	0501 103 020	100
L		6.5	A	24.8	16.0	10.5	0.8	0.7 - 1.7	0500 113 69*	100/300/500
M		6.5	W	24.8	14.5	10.8	0.8	0.7 - 1.5	0500 114 03*	100
		8.0	A	22.8	18.0	10.0	0.8	1.0 - 2.0	0500 117 61	50/100
		M5	G	21.0	15.0	9.0	0.7	0.5 - 4.5	0501 106 075	50
		M5	G	20.4	15.0	9.0	0.7	0.5 - 4.0	0500 535 25	50
		M6	G	18.3	16.3	8.2	0.7	0.5 - 4.1	0501 106 061	50
		M6	G	23.6	16.0	11.0	0.8	0.5 - 3.4	0500 533 12	50/100