according to Regulation (EC) No. 1907/2006



G

## **GAS BLOWLAMP POWERJET - 175 G**

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2016
5.3	21.02.2017	747588-00005	Date of first issue: 11.06.2010

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier		
Trade name	:	GAS BLOWLAMP POWERJET - 175
Product code	:	098490001

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub-	:	Gas for further use and processing
stance/Mixture		

#### 1.3 Details of the supplier of the safety data sheet

Company	:	Adolf Wuerth GmbH & Co. KG Reinhold-Würth-Str. 12-17 74653 Künzelsau
Telephone	:	+49 794015 0
Telefax	:	+49 794015 10 00
E-mail address of person responsible for the SDS	:	prodsafe@wuerth.com

#### 1.4 Emergency telephone number

Giftnotrufzentrale Berlin +49 30 30686 790. Gesellschaft (07:00 – 18:00 Uhr) +49 794015 2552

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)			
Flammable gases, Category 1	H220: Extremely flammable gas.		
Gases under pressure, Liquefied gas	H280: Contains gas under pressure; may explode if heated.		

#### 2.2 Label elements

#### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word

Danger

2

1

Hazard statements

H220 Extremely flammable gas.

according to Regulation (EC) No. 1907/2006



## **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
		H280 Conta	ains gas under pressure; may explode if heated.
Preca	utionary statements	•	away from heat, hot surfaces, sparks, open her ignition sources. No smoking.
		<b>Response:</b> P377 Leaki stopped safel	ng gas fire: Do not extinguish, unless leak can be
		<b>Storage:</b> P410 + P403 place.	Protect from sunlight. Store in a well-ventilated

#### 2.3 Other hazards

May displace oxygen and cause rapid suffocation. Extremely cold liquid and gas under pressure. Causes severe frostbite.

#### **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Hazardous components

Remarks

: No hazardous ingredients

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

General advice	:	In the case of accident or if you feel unwell, seek medical ad- vice immediately. When symptoms persist or in all cases of doubt seek medical advice.
Protection of first-aiders	:	First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.
If inhaled	:	If inhaled, remove to fresh air. Get medical attention if symptoms occur.
In case of skin contact	:	Thaw frosted parts with lukewarm water. Do not rub affected area. In case of contact, immediately flush skin with plenty of water. Get medical attention immediately.
In case of eye contact	:	Get medical attention immediately.
If swallowed	:	Ingestion is not considered a potential route of exposure.

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017		9S Number: 7588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
<b>4.2 Most</b> i Risks	important symptoms ar	nd e :	Contact with liqui	e and delayed d or refrigerated gas can cause cold burns
			and frostbite.	
4.3 Indica	tion of any immediate	med	lical attention an	d special treatment needed
Treat	ment	:	Treat symptomat	ically and supportively.
SECTION	N 5: Firefighting meas	sur	es	
5.1 Exting	guishing media			
Suita	ble extinguishing media	:	Water spray Alcohol-resistant Carbon dioxide ( Dry chemical	
Unsu media	itable extinguishing a	:	None known.	
5.2 Specia	al hazards arising from	the	substance or mi	xture
Spec fightir	ific hazards during fire- ng	:	Exposure to com	ve mixtures in air. bustion products may be a hazard to health. e rises there is danger of the vessels bursting apor pressure.
Haza ucts	rdous combustion prod-	:	Carbon oxides	
5.3 Advic	e for firefighters			
	ial protective equipment efighters	:		e, wear self-contained breathing apparatus. tective equipment.
Spec ods	ific extinguishing meth-	:	cumstances and Fight fire remotel Use water spray Leaking gas fire: stopped safely.	g measures that are appropriate to local cir- the surrounding environment. y due to the risk of explosion. to cool unopened containers. Do not extinguish, unless leak can be aged containers from fire area if it is safe to d

### **SECTION 6:** Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions	: Only trained personnel should re-enter the area.
	Remove all sources of ignition.
	Stop gas leak if it is safe to do so.
	Avoid skin contact with leaking liquid (danger of frostbite).

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010			
		Ventilate the ar Follow safe har ment recomme	ndling advice and personal protective equip-			
6.2 Enviro	onmental precautions					
Envir	onmental precautions		Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.			
6.3 Metho	ds and material for co	ntainment and clea	ning up			
Methods for cleaning up :		Suppress (know spray jet. Local or nation posal of this ma employed in the mine which reg Sections 13 an	rea. ools should be used. ck down) gases/vapours/mists with a water al regulations may apply to releases and dis- aterial, as well as those materials and items e cleanup of releases. You will need to deter- julations are applicable. d 15 of this SDS provide information regarding national requirements.			

### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

#### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures		Use equipment rated for cylinder pressure. Use a backflow preventative device in piping. Close valve after each use and when empty.
Local/Total ventilation	:	Use with local exhaust ventilation. Use only in an area equipped with explosion proof exhaust ventilation.
Advice on safe handling	:	Do not breathe gas. Do not swallow. Avoid contact with eyes. Avoid prolonged or repeated contact with skin. Handle in accordance with good industrial hygiene and safety practice. Keep container tightly closed. Wear cold insulating gloves/ face shield/ eye protection. Prevent backflow into the gas tank. Open the valves slowly to prevent pressure surges. Close valve after each use and when empty. Do NOT change or force fit connections. Prevent the intrusion of water into the gas tank. Keep away from heat and sources of ignition. Take precautionary measures against static discharges. Take care to prevent spills, waste and minimize release to the environment.

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017		DS Number: 7588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
Hygie	ne measures	:	located close to t	lushing systems and safety showers are he working place. When using do not eat, Vash contaminated clothing before re-use.
7.2 Condit	ions for safe storage,	inc	luding any incom	patibilities
Requirements for storage areas and containers		:	tightly closed. Ke away from direct	labelled containers. Store locked up. Keep eep in a cool, well-ventilated place. Keep sunlight. Store in accordance with the partic- ulations. Keep away from heat and sources of
Advice on common storage		:	Self-reactive sub Organic peroxide Oxidizing agents Flammable liquid Flammable solids Pyrophoric liquid Pyrophoric solids Self-heating subs Substances and flammable gases Explosives Acutely toxic sub	s s s stances and mixtures mixtures, which in contact with water, emit
Storaç	ge class (TRGS 510)	:	2A, Gases	
7.3 Specifi	ic end use(s)			
Specific use(s)		:	No data available	3

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational Exposure Limits**

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis			
Butane	106-97-8	AGW	1.000 ppm 2.400 mg/m3	DE TRGS 900			
Peak-limit: excur- sion factor (catego- ry)	4;(II)						
Further information		Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).					
Propane	74-98-6	AGW	1.000 ppm 1.800 mg/m3	DE TRGS 900			
Peak-limit: excur- sion factor (catego- ry)	4;(II)						

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Vers 5.3	sion Revision D 21.02.2017		DS Number: 47588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
	Further information		mmission for the rev alth (MAK-commission	view of compounds at the work place dangerous on).
8.2 I	Exposure controls			
	Engineering meas Minimize workplace Use only in an area Use with local exha	exposure co equipped wi	th explosion proof e	xhaust ventilation.
	Personal protectiv	e equipmen	t	
	Eye protection	:		g personal protective equipment: It goggles must be worn.
	Hand protection Material	:	Low temperature	resistant gloves
	Remarks	:	on the concentrat stance and specif we recommend c aforementioned p er. Wash hands b	protect hands against chemicals depending ion and quantity of the hazardous sub- ic to place of work. For special applications, larifying the resistance to chemicals of the rotective gloves with the glove manufactur- before breaks and at the end of workday. e is not determined for the product. Change
	Skin and body prote	ection :		g personal protective equipment: Intistatic protective clothing.
	Respiratory protecti	ion :	ventilation is prov	rotection unless adequate local exhaust ided or exposure assessment demonstrates e within recommended exposure guidelines.
	Filter type	:	Organic gas and	low boiling vapour type (AX)

### SECTION 9: Physical and chemical properties

Protective measures

#### 9.1 Information on basic physical and chemical properties

Appearance	:	Liquefied gas
Colour	:	colourless
Odour	:	slight
Odour Threshold	:	No data available
рН	:	No data available

: Wear cold insulating gloves/ face shield/ eye protection.

according to Regulation (EC) No. 1907/2006



## **GAS BLOWLAMP POWERJET - 175 G**

Vers 5.3	ion	Revision Date: 21.02.2017		S Number: 588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
	Melting	point/freezing point	:	-188 °C	
	Initial bo range	piling point and boiling	:	-42 °C (1.013 hPa)	
	Flash po	oint	:	-40 °C	
	Evapora	ation rate	:	Not applicable	
	Flamma	ability (solid, gas)	:	Flammable	
		explosion limit / Upper bility limit	:	11 %(V)	
		explosion limit / Lower bility limit	:	2 %(V)	
	Vapour	pressure	:	430 kPa (15 °C)	
	Relative	e vapour density	:	1,50 (15 °C) (Air = 1.0)	
	Relative	edensity	:	0,5	
	Solubilit Wate	y(ies) er solubility	:	Not applicable	
	Partitior octanol/	n coefficient: n- /water	:	Not applicable	
	Auto-igr	nition temperature	:	450 °C	
	Decomp	position temperature	:	No data available	)
	Viscosit Visco	y osity, kinematic	:	Not applicable	
	Explosiv	ve properties	:	Not explosive	
	Oxidizin	g properties	:	The substance of	r mixture is not classified as oxidizing.
	<b>)ther in</b> Particle	formation size	:	Not applicable	
	Self-ign	ition	:	not auto-flammab	le

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Not classified as a reactivity hazard.

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010					
Stabl	I0.2 Chemical stability Stable if used as directed. Follow precautionary advice and avoid incompatible materials and conditions.							
10.3 Poss	ibility of hazardous	reactions						
Haza	rdous reactions	Can react	explosive mixtures in air. with strong oxidizing agents. flammable gas.					
10.4 Cond	litions to avoid							
	itions to avoid	: Heat, flame	es and sparks.					
10.5 Inco	npatible materials							
Mate	rials to avoid	: Oxidizing a	igents					
	rdous decompositio azardous decompositio	-	own.					
SECTION	N 11: Toxicological	information						
11.1 Infor	mation on toxicologi	cal effects						
Inforr expos	nation on likely routes sure	of : Inhalation Skin contac Eye contact						
	e toxicity lassified based on ava	ilable information.						
Skin	corrosion/irritation							
Not c	lassified based on ava	ailable information.						
Serio	ous eye damage/eye i	irritation						
Not c	lassified based on ava	ailable information.						
Resp	iratory or skin sensi	tisation						
Skin	sensitisation							
Not c	lassified based on ava	ailable information.						
Resp	iratory sensitisation							
Not c	lassified based on ava	ailable information.						
	<b>cell mutagenicity</b> lassified based on ava	ailable information.						
Carci	nogenicity							
	lassified based on ava	ailable information.						
Repr	oductive toxicity							
Not c	lassified based on ava	ailable information.						

according to Regulation (EC) No. 1907/2006



# **GAS BLOWLAMP POWERJET - 175 G**

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
Not cl <b>STOT</b>	<ul> <li>single exposure</li> <li>lassified based on avaing the second second</li></ul>	e	
Aspir	ration toxicity lassified based on ava		
SECTION	12: Ecological in	formation	
<b>12.1 Toxic</b> No da	<b>city</b> ata available		
	i <b>stence and degrada</b> ata available	bility	
	ccumulative potentia ata available	al	
	<b>lity in soil</b> ata available		
	I <b>lts of PBT and vPvB</b> elevant	assessment	
	r adverse effects ata available		
SECTION	13: Disposal con	siderations	
13.1 Wast	e treatment method	S	
Produ	ıct	According to the are not product Waste codes sh	cordance with local regulations. E European Waste Catalogue, Waste Codes specific, but application specific. hould be assigned by the user, preferably in the waste disposal authorities.

Contaminated packaging	:	Empty containers should be taken to an approved waste han- dling site for recycling or disposal. Empty pressure vessels should be returned to the supplier. If not otherwise specified: Dispose of as unused product.
Waste Code	:	The following Waste Codes are only suggestions:

used product 160504, gases in pressure containers (including halons) containing dangerous substances

unused product 160504, gases in pressure containers (including halons) containing dangerous substances

uncleaned packagings

according to Regulation (EC) No. 1907/2006



# GAS BLOWLAMP POWERJET - 175 G

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005	Date of last issue: 25.11.2016 Date of first issue: 11.06.2010
		150110, packa dangerous sul	aging containing residues of or contaminated by ostances
SECTION	14: Transport infor	mation	
14.1 UN nu	umber		
ADN		: UN 2037	
ADR		: UN 2037	
RID		: UN 2037	
IMDG		: UN 2037	
ΙΑΤΑ		: UN 2037	
14.2 UN pr	oper shipping name		
ADN		: RECEPTACLI	ES, SMALL, CONTAINING GAS
ADR		: RECEPTACLI	ES, SMALL, CONTAINING GAS
RID		: RECEPTACLI	ES, SMALL, CONTAINING GAS
IMDG		: RECEPTACLI	ES, SMALL, CONTAINING GAS
ΙΑΤΑ		: Receptacles,	small, containing gas
14.3 Trans	port hazard class(es)		
ADN		: 2	
ADR		: 2	
RID		: 2	
IMDG		: 2.1	
ΙΑΤΑ		: 2.1	
14.4 Packi	ng group		
<b>ADN</b> Packir Classi Labels	ng group fication Code	: Not assigned : 5F : 2.1	by regulation
Classi Labels	ng group fication Code s I restriction code	: Not assigned : 5F : 2.1 : (D)	by regulation
Classi	ng group fication Code d Identification Number	: Not assigned : 5F : 23 : 2.1	by regulation
<b>IMDG</b> Packir	ng group	: Not assigned	by regulation

according to Regulation (EC) No. 1907/2006



## GAS BLOWLAMP POWERJET - 175 G

Version 5.3	Revision Date: 21.02.2017	-	DS Number: 7588-00005		of last issue: 25.11.2016 of first issue: 11.06.2010
Labels EmS C		:	2.1 F-D, S-U		
Packin aircraft		:	203		
	g instruction (LQ) g group	:	Y203 Not assigned by r Flammable Gas	regulati	on
Packin ger air		:	203		
	g instruction (LQ) g group	:	Y203 Not assigned by r Flammable Gas	regulati	on
14.5 Enviro	onmental hazards				
<b>ADN</b> Enviror	nmentally hazardous	:	no		
	nmentally hazardous	:	no		
	nmentally hazardous	:	no		
<b>IMDG</b> Marine	pollutant	:	no		
-	al precautions for use plicable	ər			
14.7 Trans Remar	p <mark>ort in bulk accordin</mark> g ks	g to :	Annex II of Marpo Not applicable for		
SECTION	15: Regulatory info	orma	ation		
15.1 Safety ture	, health and environr	nen	tal regulations/leg	gislatio	n specific for the substance or mix-
REACI the ma	H - Restrictions on the Irket and use of certain ations and articles (An	dar	ngerous substance		Not applicable
	REACH - Candidate List of Substances of Very High : Not ap Concern for Authorisation (Article 59).				Not applicable
	Regulation (EC) No 1005/2009 on substances that deplete the ozone layer			de-	Not applicable
-	Regulation (EC) No 850/2004 on persistent organic pol- : Not applicable lutants				
ment a	ation (EC) No 649/2012 and the Council concern gerous chemicals				Not applicable

according to Regulation (EC) No. 1907/2006



## GAS BLOWLAMP POWERJET - 175 G

Version 5.3	Revision Date: 21.02.2017	SDS Number: 747588-00005		ast issue: 25.11.: irst issue: 11.06.	
	o III: Directive 2012/18/ accident hazards involv	•	ances. ASES nely flam- cluding	and of the Counc Quantity 1 10 t 50 t	il on the control of Quantity 2 50 t 200 t
(Germa	contaminating class any) e organic compounds	Classification ac : Directive 2010/7 emissions (integ	5/EU of 24 rated pollut	VwS, Annex 4. November 2010 tion prevention a s (VOC) content:	nd control)

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

#### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

#### Full text of other abbreviations

DE TRGS 900	:	Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 900 / AGW	:	Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response: ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No



according to Regulation (EC) No. 1907/2006

## GAS BLOWLAMP POWERJET - 175 G

Version	Revision Date:	SDS Number:	Date of last issue: 25.11.2016
5.3	21.02.2017	747588-00005	Date of first issue: 11.06.2010

Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

#### Further information

Sources of key data used to compile the Safety Data Sheet	:	Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen- cy, http://echa.europa.eu/	
Classification of the mixture:			Classification procedure:
Flam. Gas 1	H2	20	Based on product data or assessment
Press. Gas Liquefied gas	H2	30	Based on product data or assessment

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN