

## PERFORMANCE SPECTRUM OF FUNCTIONAL MATERIALS FOR FUELS

	<b>Petrol Treatment Art. No. 5861 101 150/300</b>	<b>Petrol Injection Cleaner Art. No. 5861 111 150/300</b>	<b>Air Intake and Throttle Valve Cleaner Art. No. 5861 113 500</b>	<b>Petrol System Cleaner Art. No. 5861 112 300</b>
Cleaning	★★	★★★	★★★	★★★
Corrosion protection	★★	★		★
Improves lubrication capability				
Lead substitute				
Aging protection				
Improves acceleration	★★	★		
Long-term protection, 2,000 km	★★			
Continuous use	★★★	★		

	<b>Diesel Treatment AR Art. No. 5861 001 300</b>	<b>Winter Diesel Treatment Art. No. 5861 002 150/ 300/001</b>	<b>Diesel Stabiliser Art. No. 5861 004 001/ 005/020</b>	<b>Diesel Particulate Filter Cleaner Art. No. 5861 014 500</b>	<b>Diesel Injection Cleaner Art. No. 5861 011 150/ 300/001</b>	<b>Diesel Combustion Chamber Cleaner Art. No. 5861 012 300</b>	<b>Diesel System Cleaner Art. No. 5861 013 300</b>
Cleaning	★			★★★	★★	★★★	★★★
Corrosion protection	★				★★★	★	
Aging protection	★				★★	★	
Improves cetane number	★★				★★	★	
Accelerates soot combustion							
Improves lubrication capability	★★★				★	★	
Improves acceleration	★★				★★		
Improves flow		★★★					
Long-term protection, 2,000 km							
Continuous use	★★★	★★★			★★★	★	
Protection against bacteria			★★★				

	<b>LPG Treatment Art. No. 5861 200 300</b>	<b>LPG Treatment Dos Art. No. 5861 201 001</b>
Cleaning	★★	
Corrosion protection	★★	
Protection against valve wear	★★	★★★
Improves lubrication capability		
Lead substitute		
Aging protection		
Improves acceleration		
Long-term protection, 2,000 km	★	
Continuous use		★★★

★ = suitable, ★★ = highly suitable, ★★★ = optimally suitable