according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : GLASS CLEANER - 150 ML

Product code : 0825892001

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Cleaning agent, Detergent

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: prodsafe@wuerth.com

1.4 Emergency telephone number

Giftnotrufzentrale Berlin +49 30 30686 790. Gesellschaft (07:00 – 18:00 Uhr) +49 794015 2552

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Aerosols, Category 1 H222: Extremely flammable aerosol.

H229: Pressurised container: May burst if heated.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms



Signal word : Danger

Hazard statements : H222 Extremely flammable aerosol.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

H229 Pressurised container: May burst if heated.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P210 Keep away from heat, hot surfaces, sparks, open

flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use. P280 Wear eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

Storage:

P410 + P412 Protect from sunlight. Do not expose to tem-

peratures exceeding 50 °C/ 122 °F.

Additional Labelling

EUH208 Contains (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3 Other hazards

May displace oxygen and cause rapid suffocation.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Cleaning agent

Hazardous components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Propan-2-ol	67-63-0 200-661-7 603-117-00-0 01-2119457558-25	Flam. Liq. 2; H225 Eye Irrit. 2; H319 STOT SE 3; H336	>= 10 - < 20
(R)-p-mentha-1,8-diene	5989-27-5 227-813-5 601-029-00-7	Flam. Liq. 3; H226 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Asp. Tox. 1; H304 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Get medical attention if symptoms occur.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May produce an allergic reaction.

Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

: High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Flash back possible over considerable distance. Vapours may form explosive mixtures with air.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Revision Date: Date of last issue: 02.11.2016 Version SDS Number: 263802-00008 Date of first issue: 09.04.2015 4.3 22.03.2017

> Exposure to combustion products may be a hazard to health. If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Hazardous combustion prod- : Carbon oxides

ucts

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions Remove all sources of ignition.

Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

6.2 Environmental precautions

Discharge into the environment must be avoided. **Environmental precautions**

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up Non-sparking tools should be used.

Soak up with inert absorbent material.

Suppress (knock down) gases/vapours/mists with a water

spray jet.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Do not breathe vapours or spray mist.

Do not swallow. Do not get in eyes.

Avoid prolonged or repeated contact with skin.

Handle in accordance with good industrial hygiene and safety

practice.

Keep away from heat and sources of ignition.

Take precautionary measures against static discharges.

Take care to prevent spills, waste and minimize release to the

environment.

Do not spray on an open flame or other ignition source.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Store locked up. Keep in a cool, well-ventilated place. Store in accordance with the particular national regulations. Do not pierce or burn, even after use. Keep cool. Protect from sun-

light.

Advice on common storage : Do not store with the following product types:

Self-reactive substances and mixtures

Organic peroxides Oxidizing agents Flammable solids Pyrophoric liquids Pyrophoric solids

Self-heating substances and mixtures

Substances and mixtures, which in contact with water, emit

flammable gases Explosives

Storage class (TRGS 510) : 2B, Aerosol cans and lighters

Recommended storage tem-

perature

> 5 - < 50 °C

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

7.3 Specific end use(s)

Specific use(s) : No data available

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Propan-2-ol	67-63-0	AGW	200 ppm	DE TRGS
			500 mg/m3	900
Peak-limit: excur-	2;(II)			
sion factor (catego-				
ry)				
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission)., When there is compliance with the OEL			
Dronono	74-98-6	AGW	ere is no risk of harming the	DE TRGS
Propane	74-98-6	AGW	1.000 ppm 1.800 mg/m3	900
Peak-limit: excur-	4;(II)		1.800 Hig/Hi3	900
sion factor (catego-	4,(11)			
ry)				
Further information	Senate comm	ission for the review	of compounds at the work p	lace dangerous
T draior implimation	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
Butane	106-97-8	AGW	1.000 ppm	DE TRGS
			2.400 mg/m3	900
Peak-limit: excur-	4;(II)			
sion factor (catego-				
ry)				
Further information		Senate commission for the review of compounds at the work place dangerous		
		(MAK-commission).		1
Isobutane	75-28-5	AGW	1.000 ppm	DE TRGS
			2.400 mg/m3	900
Peak-limit: excur-	4;(II)			
sion factor (catego-				
ry) Further information	Canata as man	inning for the vertices	of company and of the country	laaa dammaraya
Further information	Senate commission for the review of compounds at the work place dangerous for the health (MAK-commission).			
(R)-p-mentha-1,8-	5989-27-5	AGW	5 ppm	DE TRGS
diene	3909-27-3	AGW	28 mg/m3	900
Peak-limit: excur-	4;(II)		_ 20 mg/mo	000
sion factor (catego-	1,(11)			
ry)				
Further information	Senate commission for the review of compounds at the work place dangerous			
	for the health (MAK-commission)., Skin absorption, When there is compliance			
	with the OEL and biological tolerance values, there is no risk of harming the			
	unborn child,	Substance sensitizin	g through the skin	

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

Biological occupational exposure limits

Substance name	CAS-No.	Control parameters	Sampling time	Basis
Propan-2-ol	67-63-0	Acetone: 25 mg/l (Blood)	Immediately after exposure or after working hours	TRGS 903
		Acetone: 25 mg/l Immediately after exposure or after working hours		TRGS 903

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006:

Substance name	End Use	Exposure routes	Potential health effects Value	
Propan-2-ol	Workers	Inhalation	Long-term systemic effects	500 mg/m3
	Workers	Skin contact	Long-term systemic effects	888 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	89 mg/m3
	Consumers	Skin contact	Long-term systemic effects	319 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	26 mg/kg bw/day
(R)-p-mentha-1,8- diene	Workers	Inhalation	Long-term systemic effects	33,3 mg/m3
	Workers	Skin contact	Acute local effects	0,222 mg/cm2
	Consumers	Inhalation	Long-term systemic effects	8,33 mg/m3
	Consumers	Skin contact	Acute local effects	0,111 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	4,76 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Propan-2-ol	Fresh water	140,9 mg/l
	Marine water	140,9 mg/l
	Intermittent use/release	140,9 mg/l
	Sewage treatment plant	2251 mg/l
	Fresh water sediment	552 mg/kg
	Marine sediment	552 mg/kg
	Soil	28 mg/kg
	Oral (Secondary Poisoning)	160 mg/kg food
(R)-p-mentha-1,8-diene	Fresh water	0,0054 mg/l
	Marine water	0,00054 mg/l
	Sewage treatment plant	1,8 mg/l
	Fresh water sediment	1,32 mg/kg
	Marine sediment	0,13 mg/kg
	Soil	0,262 mg/kg
	Oral (Secondary Poisoning)	3,33 mg/kg food

8.2 Exposure controls

Engineering measures

Minimize workplace exposure concentrations.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

Use with local exhaust ventilation.

Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety goggles

Hand protection

Remarks : not required Wash hands before breaks and at the end of

workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Wear the following personal protective equipment:

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Self-contained breathing apparatus

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : Aerosol containing a dissolved gas

Propellant : Propane, Butane, Isobutane

Colour : colourless

Odour : like fruit

Odour Threshold : No data available

pH : 10

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : -1 °C

Solvent < 0 °C Solvent

Evaporation rate : Not applicable

Flammability (solid, gas) : Extremely flammable aerosol.

Upper explosion limit / Upper : No data available

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

flammability limit

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : Not applicable

Density : 0,89 g/cm3 (20 °C)

Active ingredient

Solubility(ies)

Water solubility : completely soluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : Not applicable

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : Not applicable

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Extremely flammable aerosol.

Vapours may form explosive mixture with air.

If the temperature rises there is danger of the vessels bursting

due to the high vapor pressure.

Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : Heat, flames and sparks.

10.5 Incompatible materials

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

Materials to avoid : Oxidizing agents

Acids

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Information on likely routes of:

exposure

: Inhalation Skin contact Ingestion

Ingestion Eye contact

Acute toxicity

Not classified based on available information.

Components:

Propan-2-ol:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 72,6 mg/l

Exposure time: 4 h

Test atmosphere: vapour

Acute dermal toxicity : LD50 (Rat): > 5.000 mg/kg

(R)-p-mentha-1,8-diene:

Acute oral toxicity : LD50 (Rat): > 2.000 mg/kg

Assessment: The substance or mixture has no acute oral tox-

icity

Remarks: Based on data from similar materials

Skin corrosion/irritation

Not classified based on available information.

Components:

Propan-2-ol:

Species: Rabbit

Result: No skin irritation

(R)-p-mentha-1,8-diene:

Species: Rabbit Result: Skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

Components:

Propan-2-ol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days

(R)-p-mentha-1,8-diene:

Species: Rabbit

Result: No eye irritation

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

Propan-2-ol:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

(R)-p-mentha-1,8-diene:

Test Type: Local lymph node assay (LLNA)

Exposure routes: Skin contact

Species: Mouse Result: positive

Assessment: Probability or evidence of low to moderate skin sensitisation rate in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Propan-2-ol:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Result: negative

(R)-p-mentha-1,8-diene:

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

Result: negative

Genotoxicity in vivo : Test Type: Transgenic rodent somatic cell gene mutation as-

say

Species: Rat

Application Route: Ingestion

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Propan-2-ol:

Species: Rat

Application Route: inhalation (vapour)

Exposure time: 104 weeks

Method: OECD Test Guideline 451

Result: negative

(R)-p-mentha-1,8-diene:

Species: Mouse

Application Route: Ingestion Exposure time: 103 weeks

Result: negative

Reproductive toxicity

Not classified based on available information.

Components:

Propan-2-ol:

ment

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion

Result: negative

Effects on foetal develop-

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion

Result: negative

STOT - single exposure

Not classified based on available information.

Components:

Propan-2-ol:

Assessment: May cause drowsiness or dizziness.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

Repeated dose toxicity

Components:

Propan-2-ol: Species: Rat

NOAEL: 5000 ppm

Application Route: inhalation (vapour)

Exposure time: 104 Weeks

Method: OECD Test Guideline 413

(R)-p-mentha-1,8-diene:

Species: Rat

NOAEL: 600 mg/kg

Application Route: Ingestion Exposure time: 13 Weeks

Aspiration toxicity

Not classified based on available information.

Components:

(R)-p-mentha-1,8-diene:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

SECTION 12: Ecological information

12.1 Toxicity

Components:

Propan-2-ol:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 10.000 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 24 h

Toxicity to microorganisms : EC50 (Pseudomonas putida): > 1.050 mg/l

Exposure time: 16 h

(R)-p-mentha-1,8-diene:

Toxicity to fish : LC50 (Pimephales promelas (fathead minnow)): 0,72 mg/l

Exposure time: 96 h

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,36 mg/l

Exposure time: 48 h

Toxicity to algae : ErC50 (Desmodesmus subspicatus (green algae)): 150 mg/l

Exposure time: 72 h

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 263802-00008 Date of first issue: 09.04.2015 4.3 22.03.2017

> Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox- : 1

icity)

12.2 Persistence and degradability

Components:

Propan-2-ol:

Biodegradability Result: rapidly degradable

(R)-p-mentha-1,8-diene:

Biodegradability Result: Readily biodegradable.

> Biodegradation: 80 % Exposure time: 28 d

Remarks: Based on data from similar materials

12.3 Bioaccumulative potential

Components:

Propan-2-ol:

Partition coefficient: n-

octanol/water

log Pow: 0,05

(R)-p-mentha-1,8-diene:

Partition coefficient: n-

octanol/water

log Pow: 4,38

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

Empty containers retain residue and can be dangerous. Do not pressurize, cut, weld, braze, solder, drill, grind, or expose such containers to heat, flame, sparks, or other sources of ignition. They may explode and cause injury and/or death. If not otherwise specified: Dispose of as unused product. Please ensure aerosol cans are sprayed completely empty

(including propellant)

Waste Code : The following Waste Codes are only suggestions:

used product

160504, gases in pressure containers (including halons) con-

taining dangerous substances

unused product

160504, gases in pressure containers (including halons) con-

taining dangerous substances

packagings not completely emptied

160504, gases in pressure containers (including halons) con-

taining dangerous substances

uncleaned packagings 150106, mixed packaging

SECTION 14: Transport information

14.1 UN number

ADN : UN 1950
ADR : UN 1950
RID : UN 1950
IMDG : UN 1950
IATA : UN 1950

14.2 UN proper shipping name

ADN : AEROSOLS
ADR : AEROSOLS
RID : AEROSOLS
IMDG : AEROSOLS

IATA : Aerosols, flammable

14.3 Transport hazard class(es)

ADN : 2
ADR : 2
RID : 2
IMDG : 2.1

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

IATA : 2.1

14.4 Packing group

ADN

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1

ADR

Packing group : Not assigned by regulation

Classification Code : 5F Labels : 2.1 Tunnel restriction code : (D)

RID

Packing group : Not assigned by regulation

Classification Code : 5F Hazard Identification Number : 23 Labels : 2.1

IMDG

Packing group : Not assigned by regulation

Labels : 2.1 EmS Code : F-D, S-U

IATA (Cargo)

Packing instruction (cargo : 203

aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

IATA (Passenger)

Packing instruction (passen: 203

ger aircraft)

Packing instruction (LQ) : Y203

Packing group : Not assigned by regulation

Labels : Flammable Gas

14.5 Environmental hazards

ADN

Environmentally hazardous : no

ADR

Environmentally hazardous : no

RID

Environmentally hazardous : no

IMDG

Marine pollutant : no

14.6 Special precautions for user

Not applicable

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 02.11.2016

 4.3
 22.03.2017
 263802-00008
 Date of first issue: 09.04.2015

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

2-Methoxyethanol (30)

Not applicable

Not applicable

Not applicable

Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Quantity 1 Quantity 2
P3a FLAMMABLE AEROSOLS 150 t 500 t

18 Liquefied extremely flam- 50 t 200 t

mable gases (including LPG) and natural gas

Water contaminating class

(Germany)

WGK 1 slightly water endangering

Classification according VwVwS, Annex 4.

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 23,80 %, 212 g/l

Remarks: VOC content excluding water

Regulation (EC) No. 648/2004, as amended

5 % or over but less than 15 %: Aliphatic hydrocarbons

Other constituents: Perfumes

Preservation agents:

Morpholine

Disodium (tetrapropenyl)succinate

Allergens: LIMONENE

BENZYL ALCOHOL

Other regulations:

Take note of Directive 92/85/EEC regarding maternity protection or stricter national regulations, where applicable.

Take note of Directive 94/33/EC on the protection of young people at work or stricter national

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Full text of H-Statements

H225 : Highly flammable liquid and vapour.
H226 : Flammable liquid and vapour.

H304 : May be fatal if swallowed and enters airways.

H315 : Causes skin irritation.

H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.
H336 : May cause drowsiness or dizziness.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Acute aquatic toxicity
Aquatic Chronic : Chronic aquatic toxicity
Asp. Tox. : Aspiration hazard
Eye Irrit. : Eye irritation
Flam. Liq. : Flammable liquids
Skin Irrit. : Skin irritation
Skin Sens. : Skin sensitisation

STOT SE : Specific target organ toxicity - single exposure

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.

TRGS 903 : TRGS 903 - Biological limit values

DE TRGS 900 / AGW : Time Weighted Average

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation: DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New

according to Regulation (EC) No. 1907/2006



GLASS CLEANER - 150 ML

Version Revision Date: SDS Number: Date of last issue: 02.11.2016 4.3 22.03.2017 263802-00008 Date of first issue: 09.04.2015

Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data

Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture:

Aerosol 1 H222, H229

Based on product data or assessment

Classification procedure:

Eye Irrit. 2 H319 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN