

BUTYL TAPE



Width in mm	Length in mm	Thickness in mm	Art. No.	P. Qty.
12	15	2	0894 700 122	1
20	15	2	0894 700 202	1

Fields of application:

- For the connection of seams and the gluing of vapor barrier films.
- Overlapping seals for vehicle and roof mounting parts, for facades and equipment construction, in the furniture and interior design industry, for sanitation and electrical installations, and all similar applications.

Strongly adhesive, double-sided sealing tape made of butyl rubber for overlapping seals.

Very good compatibility with all known surfaces.

- Very good compatibility with metals, concrete, masonry, wood, glass, hard PVC, bitumen, paint systems, as well as very good adhesion properties, makes a number of combinations in sealing systems possible.


Excellent resistance to UV, weathering and water.

- For both indoor and outdoor use.

Additional properties

- Impermeable to vapor diffusion.
- Self-fusing.
- Compatible with Plexiglas and Macrolon.

BUTYL ROUND CORD



Diameter in mm	Length in mm	Art. No.	P. Qty.
3	5 x 16 (80)	0894 700 380	1

- For the round butyl cord, the same product-technical properties as in the case of the butyl tape (Art. No. 0894 700 122 / 202) apply.

Fields of application:

- Fastening of mounting parts of vehicles, such as the gluing of lower door cover films, attachment of decorative moldings.
- Sealing of storage tanks, silos, roofs made of trapezoidal plates, and others to prevent vibrations.
- All overlapping seals as with butyl tape (see above).
- Ideal use on uneven foundations.

With this information we want to advise you to the best of our knowledge based on our tests and experience. We assume no liability for the application results in individual cases, however, due to the large number of applications and the storage and application conditions that lie outside the scope of our influence. This also applies to the use of the non-binding technical and commercial customer service we provide. We always recommend that you conduct your own tests. We guarantee the consistent quality of our products. We reserve the right to make technical changes and carry out further development. For further information, see the Technical Data Sheet.