according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016
1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TRIATHLON POWER 5W40 - 208 L

Product code : 0897605405

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Engine oil

stance/Mixture

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: prodsafe@wuerth.com

### 1.4 Emergency telephone number

Giftnotrufzentrale Berlin +49 30 30686 790. Gesellschaft (07:00 – 18:00 Uhr) +49 794015 2552

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

# Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

Chronic aquatic toxicity, Category 3 H412: Harmful to aquatic life with long lasting ef-

fects.

#### 2.2 Label elements

# Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms

Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016
1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements : Prevention:

P264 Wash skin thoroughly after handling.P273 Avoid release to the environment.P280 Wear eye protection/ face protection.

Response:

P337 + P313 If eye irritation persists: Get medical advice/

attention.

#### 2.3 Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

## **Hazardous components**

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based	72623-87-1 276-738-4 649-483-00-5 01-2119474889-13	Asp. Tox. 1; H304	>= 70 - < 90
Phosphorodithioic acid, O,O-di- C1-14-alkyl esters, zinc salts	68649-42-3 272-028-3	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 2; H411	>= 1 - < 2,5
Calcium long-chain alkylphenate sulfide	Proprietary Ingredient	Aquatic Chronic 4; H413	>= 1 - < 2,5
p-dodecylphenol	104-43-8 203-202-9	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Repr. 1B; H360 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	>= 0,1 - < 0,25

For explanation of abbreviations see section 16.

## **SECTION 4: First aid measures**

### 4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016 1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment

when the potential for exposure exists.

If inhaled : If inhaled, remove to fresh air.

Get medical attention.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention.

Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : Causes serious eye irritation.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

## **SECTION 5: Firefighting measures**

### 5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

None known.

### 5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

Exposure to combustion products may be a hazard to health.

Hazardous combustion prod: :

ucts

Carbon oxides
Sulphur oxides

Oxides of phosphorus

Metal oxides

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

5.3 Advice for firefighters

Special protective equipment :

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

SO.

Evacuate area.

#### **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice and personal protective equip-

ment recommendations.

#### 6.2 Environmental precautions

Environmental precautions : Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Prevent spreading over a wide area (e.g. by containment or oil

barriers).

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

#### 6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

#### 6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

according to Regulation (EC) No. 1907/2006



## TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Local/Total ventilation : Use with local exhaust ventilation.

Advice on safe handling : Do not get on skin or clothing.

Do not breathe vapours or spray mist.

Do not swallow. Do not get in eyes.

Handle in accordance with good industrial hygiene and safety

practice.

Keep container tightly closed.

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : Ensure that eye flushing systems and safety showers are

located close to the working place. When using do not eat, drink or smoke. Wash contaminated clothing before re-use.

# 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage

areas and containers

Keep in properly labelled containers. Keep tightly closed.

Store in accordance with the particular national regulations.

Advice on common storage : Do not store with the following product types:

Strong oxidizing agents Organic peroxides

**Explosives** 

Storage class (TRGS 510) : 10, Combustible liquids

7.3 Specific end use(s)

Specific use(s) : No data available

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

## Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006:

Substance name	Environmental Compartment	Value
Lubricating oils (petroleum), C20-	Oral (Secondary Poisoning)	9,33 mg/kg food
50, hydrotreated neutral oil		
based		

### 8.2 Exposure controls

#### **Engineering measures**

Minimize workplace exposure concentrations.

Use with local exhaust ventilation.

### Personal protective equipment

Eye protection : Wear the following personal protective equipment:

Safety goggles

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : >= 0,4 mm
Directive : DIN EN 374
Wearing time : <= 240 min

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : Use respiratory protection unless adequate local exhaust

ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.

Filter type : Combined particulates and organic vapour type (A-P)

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling

range

No data available

Flash point : 234 °C

Other information: No data available

Evaporation rate : No data available

Flammability (solid, gas) : Not applicable

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016 1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

Upper explosion limit / Upper :

flammability limit

No data available

Lower explosion limit / Lower :

flammability limit

No data available

Vapour pressure : No data available

Relative vapour density : No data available

Density : 0,856 g/cm3

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Viscosity

Viscosity, kinematic : 88 mm2/s (40 °C)

14,5 mm2/s (100 °C)

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

9.2 Other information

Particle size : Not applicable

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Not classified as a reactivity hazard.

### 10.2 Chemical stability

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

according to Regulation (EC) No. 1907/2006



## TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

### **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

Information on likely routes of : Inhalation

exposure Skin contact

Ingestion Eye contact

#### **Acute toxicity**

Not classified based on available information.

#### **Components:**

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Acute oral toxicity : LD50 (Rat): > 5.000 mg/kg

Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): > 5,53 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Method: OECD Test Guideline 402

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Acute oral toxicity : LD50 (Rat): > 2.000 - < 5.000 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rat): > 2.002 mg/kg

Assessment: The substance or mixture has no acute dermal

toxicity

Remarks: Based on data from similar materials

p-dodecylphenol:

Acute oral toxicity : LD50 (Rat): 2.100 mg/kg

Remarks: Based on data from similar materials

Acute dermal toxicity : LD50 (Rabbit): > 5.000 mg/kg

Remarks: Based on data from similar materials

# Skin corrosion/irritation

Not classified based on available information.

### Components:

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Species: Rabbit

Result: No skin irritation

## Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Species: Rabbit Result: Skin irritation

Remarks: Based on data from similar materials

## p-dodecylphenol:

Species: Rabbit Result: Skin irritation

Remarks: Based on data from similar materials

# Serious eye damage/eye irritation

Causes serious eye irritation.

### Components:

## Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species: Rabbit

Result: No eye irritation

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Species: Rabbit

Result: Irreversible effects on the eye

Remarks: Based on data from similar materials

#### p-dodecylphenol:

Species: Rabbit

Result: Irritation to eyes, reversing within 21 days Remarks: Based on data from similar materials

### Respiratory or skin sensitisation

### Skin sensitisation

Not classified based on available information.

### Respiratory sensitisation

Not classified based on available information.

### **Components:**

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig Result: negative

Remarks: Based on data from similar materials

# p-dodecylphenol:

Test Type: Buehler Test Exposure routes: Skin contact

Species: Guinea pig

Method: OECD Test Guideline 406

Result: negative

Remarks: Based on data from similar materials

### Germ cell mutagenicity

Not classified based on available information.

#### Components:

### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Genotoxicity in vitro : Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection Method: OECD Test Guideline 474

Result: negative

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

Remarks: Based on data from similar materials

: Test Type: In vitro mammalian cell gene mutation test

Result: positive

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal Method: OECD Test Guideline 474

Result: negative

Remarks: Based on data from similar materials

Germ cell mutagenicity- As-

sessment

Weight of evidence does not support classification as a germ

cell mutagen.

### p-dodecylphenol:

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Genotoxicity in vitro : Test Type: In vitro mammalian cell gene mutation test

Result: negative

Remarks: Based on data from similar materials

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Rat

**Application Route: Ingestion** 

Result: negative

Remarks: Based on data from similar materials

## Carcinogenicity

Not classified based on available information.

#### **Components:**

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species: Mouse

Application Route: Skin contact Exposure time: 78 weeks

Result: negative

Carcinogenicity - Assess-

ment

: Classified based on DMSO extract content < 3% (Regulation

(EC) 1272/2008, Annex VI, Part 3, Note L)

#### Reproductive toxicity

Not classified based on available information.

## **Components:**

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Remarks: Based on data from similar materials

p-dodecylphenol:

Effects on fertility : Test Type: Two-generation reproduction toxicity study

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 416

Result: positive

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016 1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

Remarks: Based on data from similar materials

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

Remarks: Based on data from similar materials

Reproductive toxicity - As-

sessment

Clear evidence of adverse effects on sexual function and fertil-

ity, and/or on development, based on animal experiments

#### STOT - single exposure

Not classified based on available information.

### STOT - repeated exposure

Not classified based on available information.

#### Repeated dose toxicity

### **Components:**

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Species: Rat

NOAEL: > 980 mg/m3

Application Route: inhalation (dust/mist/fume)

Exposure time: 4 Weeks

## Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Species: Rat

NOAEL: 160 mg/kg

Application Route: Ingestion Exposure time: 54 Days

Method: OECD Test Guideline 422

Remarks: Based on data from similar materials

## p-dodecylphenol:

Species: Rat

NOAEL: 100 mg/kg

Application Route: Ingestion Exposure time: 90 Days

Method: OECD Test Guideline 408

Remarks: Based on data from similar materials

#### **Aspiration toxicity**

Not classified based on available information.

#### Components:

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

May be fatal if swallowed and enters airways.

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Date of last issue: 27.12.2016 Revision Date: SDS Number: 365897-00005 Date of first issue: 19.04.2016 1.3 08.02.2017

## **SECTION 12: Ecological information**

### 12.1 Toxicity

#### **Components:**

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

LL50 (Pimephales promelas (fathead minnow)): > 100 mg/l Toxicity to fish

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): > 10.000 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Toxicity to algae NOELR (Pseudokirchneriella subcapitata (green algae)): >

100 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Toxicity to microorganisms NOEC (Photobacterium phosphoreum): > 1,93 mg/l

Exposure time: 4 d

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOELR: 10 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction

Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Toxicity to fish LL50 (Oncorhynchus mykiss (rainbow trout)): 4,5 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EL50 (Daphnia magna (Water flea)): 23 mg/l

Exposure time: 48 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae EL50 (Desmodesmus subspicatus (green algae)): 24 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOELR (Desmodesmus subspicatus (green algae)): 10 mg/l

Exposure time: 72 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 201

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

Version Revision Date: SDS Number: Date of last issue: 27.12.2016 1.3 08.02.2017 365897-00005 Date of first issue: 19.04.2016

Remarks: Based on data from similar materials

Toxicity to microorganisms : EC50 : > 10.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,4 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea)

Test substance: Water Accommodated Fraction Remarks: Based on data from similar materials

## Calcium long-chain alkylphenate sulfide:

**Ecotoxicology Assessment** 

Chronic aquatic toxicity : May cause long lasting harmful effects to aquatic life.

p-dodecylphenol:

Toxicity to fish : LL50 (Pimephales promelas (fathead minnow)): 40 mg/l

Exposure time: 96 h

Test substance: Water Accommodated Fraction

Method: OECD Test Guideline 203

Remarks: Based on data from similar materials

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,037 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Remarks: Based on data from similar materials

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): 0,15 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

NOEC (Desmodesmus subspicatus (green algae)): 0,07 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

Remarks: Based on data from similar materials

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 : > 1.000 mg/l

Exposure time: 3 h

Method: OECD Test Guideline 209

Remarks: Based on data from similar materials

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

NOEC: 0,0037 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

Remarks: Based on data from similar materials

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

M-Factor (Chronic aquatic

toxicity)

: 10

# 12.2 Persistence and degradability

### **Components:**

#### Lubricating oils (petroleum), C20-50, hydrotreated neutral oil based:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 4 % Exposure time: 28 d

Method: OECD Test Guideline 301B

# Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Biodegradability : Result: Not readily biodegradable.

Biodegradation: 1,5 % Exposure time: 28 d

Method: OECD Test Guideline 301B

Remarks: Based on data from similar materials

p-dodecylphenol:

Biodegradability : Result: Not inherently biodegradable.

Biodegradation: 10 % Exposure time: 56 d

Method: OECD Test Guideline 302

Remarks: Based on data from similar materials

# 12.3 Bioaccumulative potential

#### **Components:**

### Phosphorodithioic acid, O,O-di-C1-14-alkyl esters, zinc salts:

Partition coefficient: n- : log Pow: 1,67

octanol/water Remarks: Based on data from similar materials

p-dodecylphenol:

Bioaccumulation : Species: Oncorhynchus mykiss (rainbow trout)

Bioconcentration factor (BCF): 289 Method: OECD Test Guideline 305

Remarks: Based on data from similar materials

Partition coefficient: n-

octanol/water

log Pow: 5,5

#### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

Not relevant

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

#### 12.6 Other adverse effects

No data available

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

130205, mineral-based non-chlorinated engine, gear and lu-

bricating oils

unused product

130205, mineral-based non-chlorinated engine, gear and lu-

bricating oils

uncleaned packagings

150110, packaging containing residues of or contaminated by

dangerous substances

### **SECTION 14: Transport information**

#### 14.1 UN number

Not regulated as a dangerous good

# 14.2 UN proper shipping name

Not regulated as a dangerous good

### 14.3 Transport hazard class(es)

Not regulated as a dangerous good

#### 14.4 Packing group

Not regulated as a dangerous good

#### 14.5 Environmental hazards

Not regulated as a dangerous good

# 14.6 Special precautions for user

Not applicable

# 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

Remarks : Not applicable for product as supplied.

according to Regulation (EC) No. 1907/2006



## TRIATHLON POWER 5W40 - 208 L

Date of last issue: 27.12.2016 Version Revision Date: SDS Number: Date of first issue: 19.04.2016 1.3 08.02.2017 365897-00005

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on

the market and use of certain dangerous substances,

preparations and articles (Annex XVII)

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Regulation (EC) No 1005/2009 on substances that de-

plete the ozone layer

Regulation (EC) No 850/2004 on persistent organic pol-

lutants

Regulation (EC) No 649/2012 of the European Parlia-

of dangerous chemicals

Not applicable ment and the Council concerning the export and import

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water contaminating class

(Germany)

WGK 2 water endangering

Classification according VwVwS, Annex 4.

Volatile organic compounds Directive 2010/75/EU of 24 November 2010 on industrial

emissions (integrated pollution prevention and control) Volatile organic compounds (VOC) content: 0 %

Not applicable

Not applicable

Not applicable

Not applicable

### 15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

### **Full text of H-Statements**

H304 May be fatal if swallowed and enters airways.

Causes skin irritation. H315

H318 Causes serious eye damage. H319 Causes serious eye irritation.

H360 May damage fertility or the unborn child.

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H411 Toxic to aquatic life with long lasting effects.

H413 May cause long lasting harmful effects to aquatic life.

#### Full text of other abbreviations

Aquatic Acute Acute aquatic toxicity Aquatic Chronic Chronic aquatic toxicity Asp. Tox. Aspiration hazard

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

Eye Dam. : Serious eye damage

Eye Irrit. : Eye irritation

Repr. : Reproductive toxicity

Skin Irrit. : Skin irritation

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx -Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

## **Further information**

Sources of key data used to compile the Safety Data

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

Sheet cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Eye Irrit. 2 H319 Calculation method Aquatic Chronic 3 H412 Calculation method

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for

according to Regulation (EC) No. 1907/2006



# TRIATHLON POWER 5W40 - 208 L

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 27.12.2016

 1.3
 08.02.2017
 365897-00005
 Date of first issue: 19.04.2016

safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN