


## 1/2"-Bits for External TX Screws

Finish: chrome-plated/matte  
 Drive: 1/2" ball-groove  
 Take-off: outer TX  
 Type: short  
<sup>1</sup> Geometry: long




	mm	L <sub>1</sub> mm	D <sub>1</sub> mm	D <sub>2</sub> mm	Art. No.	
10	9.43	40	12.3	22.5	<b>0715 132 10</b>	1
11	10.1	40	13.3	22.5	<b>0715 132 11</b>	
12	11.18	40	14.3	22.5	<b>0715 132 12</b>	
14	12.91	40	15.8	22.5	<b>0715 132 14</b>	
16	14.76	40	19.6	22.5	<b>0715 132 16</b>	
18	16.72	40	21	22.5	<b>0715 132 18</b>	
20	18.5	40	22.5	23	<b>0715 132 20</b>	
24	22.17	40	27.5	28	<b>0715 132 24</b>	
10	9.43	77	12.3	22.5	<b>0715 132 101<sup>1</sup></b>	
12	11.18	77	14.3	22.5	<b>0715 132 121<sup>1</sup></b>	
14	12.91	77	15.8	22.5	<b>0715 132 141<sup>1</sup></b>	

## 1/2" Screwdriver Inserts

Finish: chrome-plated/matte  
 Drive: 1/2" ball-groove  
 Take-off: internal TX  
 Type: short

Applications include:


- TX 60 Actros disk brakes  
Actros HL drive axle
- TX80 Iveco steering gear arm  
MAN steering gear
- TX100 Iveco steering gear arm



	mm	L <sub>1</sub> mm	L <sub>2</sub> mm	D <sub>1</sub> mm	Art. No.	
20	3.84	60	20	22.5	<b>0715 133 20</b>	1
25	4.4	60	20	22.5	<b>0715 133 25</b>	
27	4.96	60	20	22.5	<b>0715 133 27</b>	
30	5.49	60	20	22.5	<b>0715 133 30</b>	
40	6.6	60	20	22.5	<b>0715 133 40</b>	
45	7.77	60	20	22.5	<b>0715 133 45</b>	
50	8.79	60	20	22.5	<b>0715 133 50</b>	
55	11.17	60	20	22.5	<b>0715 133 55</b>	
60	13.2	60	20	22.5	<b>0715 133 60</b>	
70	15.49	60	20	25	<b>0715 133 70</b>	
80	17.51	60	20	28	<b>0715 133 80</b>	
90	19.9	60	42	26	<b>0715 133 90</b>	
100	22.1	80	42	26	<b>0715 133 100</b>	

## 1/2" Screwdriver Inserts

Finish: chrome-plated/matte  
 Drive: 1/2" ball-groove  
 Take-off: internal TX  
 Type: short  
 Application: Ford, in particular  
<sup>1</sup> Ford Mondeo cylinder head



	mm	L <sub>1</sub> mm	L <sub>2</sub> mm	L <sub>3</sub> mm	D <sub>1</sub> mm	Art. No.	
30	5.49	120	80	12.5	22.5	<b>0715 134 30</b>	1
40	6.6	120	80	12.5	22.5	<b>0715 134 40</b>	
45	7.77	120	80	12.5	22.5	<b>0715 134 45</b>	
50	8.79	120	80	-	22.5	<b>0715 134 50</b>	
55	11.17	140	100	-	22.5	<b>0715 134 55</b>	
60	13.2	140	100	-	22.5	<b>0715 134 60<sup>1</sup></b>	
70	15.49	140	100	-	25	<b>0715 134 70</b>	