

OFFSET SCREWDRIVERS



Phillips (H)

- Blade: Round blade with handle, bright nickel-plated
- Output: DIN 5208
- How to use: for working in confined spaces

PH	Length in mm	Art. No.	P. Qty.
H1 + H2	125	0715 31 06	1
H2 + H3	150	0715 31 07	1
H3 + H4	200	0715 31 08	1



Flat screwdriver

- Blade: Round blade with handle, bright nickel-plated
- Output: DIN 5200
- Use: For working in confined spaces, edge position 0° and 90°

	Length in mm	Art. No.	P. Qty.
0.8 x 4.0	100	0715 31 01	1
1.0 x 5.5	125	0715 31 02	1
1.2 x 6.5	125	0715 31 03	1
1.2 x 8.0	150	0715 31 04	1
1.6 x 10.0	175	0715 31 05	1



Hexagon socket, inch sizes

• Blade: Hexagonal blade, bright nickel-plated, front edges chamfered, short version

in mm	L1 in mm	1 L2 in mm	Art. No.	P. Qty.
1/16"	47	16	0715 311 25	1/10
5/64"	52	18	0715 311 26	1/10
3/32"	58	20	0715 311 27	1/10
7/64"	66	23	0715 311 28	1/10
1/8"	66	23	0715 311 29	1/10
9/64"	72	26	0715 311 30	1/10
5/32"	74	29	0715 311 31	1/10
3/16"	85	33	0715 311 32	1/10
7/32"	91	36	0715 311 33	1/10
1/4"	96	38	0715 311 34	1/10
9/32"	102	42	0715 311 35	1/10
5/16"	108	44	0715 311 36	1/10
11/32"	114	47	0715 311 37	1/10
3/8"	122	50	0715 311 38	1/10
7/16"	130	53	0715 311 39	1/10
1/2"	145	63	0715 311 40	1/10





Offset Screwdriver Set

in plastic holder, short version

SET	Content, inches	Art. No.	P. Qty.
7 pcs.	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4"	0715 311 100	1
10 pcs.	1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 1/4", 5/16", 3/8", 1/2"	0715 311 110	1